



ESIGN OF PEPTIDES

○ INCI name of the active ingredient: Palmitoyl Tetrapeptide-7

• Recommended dose: 1-2%

• Solubility: Water soluble



Reinforce your INNER BEAUTY

DESCRIPTION & MECHANISM

Skinarch™ is a novel peptide that enables cosmetics to fully explore the disruptive trend celebrating the difference for an inclusive beauty. My skin my rules. Skinarch™ allows to jump into this trend by taking a common feature in all ethnicities: skin architecture and tensegrity

Tensegrity is key for collagen fibers and only a good network formation ensures it. Skinarch[™] increases **Mohawk**, a **novel key player in the cosmetic field**, which may be considered the architect of the skin, promoting the formation of new & well-organized collagen I & III fibers for a proper **biotensegrity**. Skinarch™ also works on the four collagen families: fibrillar collagens, connecting and anchoring collagens, network-forming collagens and collagen-like membrane proteins

Moreover, its inclusive efficacy on skin architecture against wrinkles and sagging was proved in a mixed panel of volunteers with light-pigmented (phototype II-III) and dark-pigmented (phototype V-VI) skin

In the diversity and the difference we can find and share the beauty of the skin architecture





Upregulation of the skin collagen families genes

\bigcirc	Fibrillar	Connecting	Network collagens & collagen-like membrane proteins
	COL3	COL6	membrane proteins
	COL5	COL7	COL4
		COL12	COL13
		COL14	

Improvement of collagen VI, key regulator of collagen organization



Upregulation of COL6A1 gene, a key regulator of collagen I fibrillogenesis



+41% Collagen VI vs basal

Improvement of Mohawk, the skin architect



Upregulation of MKW (Mohawk homeobox) gene for a proper collagen biotensegrity





Actin (in red) & Mohawk (in green)

Improvement of the density, thickness & quantity of collagen



Young skin



Aged skin

Aged skin + placebo



Aged skin + 1% Skinarch"



The art of building collagen

2 panels of 22 volunteers (45-65 years old) placebo group and active group composed by 50% light-pigmented skin (phototype II-III) & 50% dark-pigmented skin (phototype V-VI) applied a cream with 2% Skinarch™, twice daily for 56 days, whole face

Firming & restructuring





-2 mm total length evolution

of face in 56 days

Improvement in face architecture (full face lifting & plumping effect in 56 days)

Skin smoothing (cheek)





-6.5% (average), -6.1% (V-VI) and -6.8% (II-III) skin average relief (Rz) in 56 days

Wrinkle smoothing (crow's feet area)





-26.1% (average) and -41.1% (V-VI) wrinkle volume in 56 days

-6.6% and -9.2% (average); -7.3% and -11.7% (V-VI); -6.0% and -11.7% (II-III) wrinkle depth in 28 and 56 days

Up to 29% (V-VI) and 21% (II-III) less wrinkle depth in 56 days

