


CAPALGIN clinical trial

use level
4%



Anti-hair loss

Hair regrowth

CAPALGIN clinical trial

use level
4%



Lotion formula:

Ingredient	%
Water	80.6%
Alcohol	10.0%
CAPALGIN	4.0%
PEG-7 Glyceryl Cocoate	1.0%
DMDM Hydantoin	0.4%
Polysorbate 20	4.0%

CAPALGIN clinical trial

use level
4%

Trichogram:

Anagen/telogen ratio

determined by optical analysis on 50 strands of hair in the frontal area




hair strands in anagen phase



hair strands in telogen phase

CAPALGIN clinical trial

use level
4%



CAPALGIN clinical trial

use level
4%

Microphotography:

New hair density

Number of new follicles per cm²





T0



3 months

CAPALGIN clinical trial

use level
4%



New hair density

CAPALGIN clinical trial

use level
4%

Microscopy measurement: Hair surface

determined on 15 follicles from the frontal, parietal and occipital areas
(% of total picture area)





T0



3 months

CAPALGIN clinical trial

use level
4%



Hair root surface


Scoring by dermatologist:
4 capital parameters

-  Thickness
-  Density
-  Volume
-  Scalp condition

CAPALGIN clinical trial


use level
4%

Scoring by dermatologist: percentage of improvement



CAPALGIN clinical trial

use level
4%



CONCLUSION

Anagen/telogen ratio (Trichogram)

+28% after 2 months

+64% after 3 months

Hair density (Microphotography)

+29% after 2 months

+48% after 3 months

Hair surface (Microscopy)

+9% after 1 month

+18% after 3 months

Thickness

+20.3%

Density

+16.4%

Volume

+22.2%

Scalp condition

+17.2%